

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/307855959>

DB IndAlgae: an on-line resource of marine algae from India identified on the basis of molecular and morphological features

Article in *Current science* · August 2016

DOI: 10.18520/cs/v111/i4/717-723

CITATIONS

0

READS

63

4 authors:



Satej Bhushan

Central University of Punjab

12 PUBLICATIONS 23 CITATIONS

[SEE PROFILE](#)



Richa Mehra

Central University of Punjab

5 PUBLICATIONS 0 CITATIONS

[SEE PROFILE](#)



Pooja Rani

Central University of Punjab

5 PUBLICATIONS 10 CITATIONS

[SEE PROFILE](#)



Felix Bast

Central University of Punjab

60 PUBLICATIONS 166 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



DNA Barcoding of freshwater algae [View project](#)



DNA Barcode-based assessment of the biodiversity of ice algae, snow algae and lichen-photobionts of East Antarctica [View project](#)

6. CGWB, Groundwater scenario of India 2009–10; Central Ground Water Board, Faridabad, MoWR, GoI, 2009, pp. 1–46.
7. Eckhardt, K. and Ulbrich, U., Potential impacts of climate change on groundwater recharge and stream flow in a central European low mountain range. *J. Hydrol.*, 2003, **284**(1), 244–252.
8. Patle, G. T., Singh, D. K., Sarangi, A., Rai, A., Khanna, M. and Sahoo, R. N., Temporal variability of climatic parameters and potential evapotranspiration. *Indian J. Agric. Sci.*, 2013, **83**(4), 518–524.
9. Ficklin, D. L., Elike, L. and Zhang, M., Sensitivity of groundwater recharge under irrigated agriculture to changes in climate, CO₂ concentrations and canopy structure. *Agric. Water Manage.*, 2010, **97**, 1039–1050.
10. Stoll, S., Hendricks Franssen, H. J., Butts, M. and Kinzelbach, W., Analysis of the impact of climate change on groundwater related hydrological fluxes: a multi-model approach including different downscaling methods. *Hydrol. Earth Syst. Sci.*, 2011, **15**(1), 21–38.
11. Das, P., Groundwater information booklet Kurukshetra district, Haryana, CGWB, Chandigarh, MoWR, GoI, 2007.
12. Xu, K., Milliman, J. D. and Xu, H., Temporal trend of precipitation and runoff in major Chinese rivers since 1951. *Global Planet Change*, 2010, **73**(3), 219–232.
13. Sonali, P. and Kumar, D. N., Review of trend detection methods and their application to detect temperature changes in India. *J. Hydrol.*, 2013, **476**, 212–227.
14. Houston, J. F. T., Groundwater system simulation by time series techniques. *Groundwater*, 1983, **21**(3), 301–310.
15. Aflatooni, M. and Mardaneh, M., Time series analysis of ground water table fluctuations due to temperature and rainfall change in Shiraz plain. *Int. J. Water Resour. Environ. Eng.*, 2011, **3**(9), 176–188.
16. Gokhale, R. and Sohoni, M., Detecting appropriate groundwater-level trends for safe groundwater development. *Curr. Sci.*, 2015, **108**(3), 395–404.
17. Tabari, H., Nikbakht, J. and Some'e, B. S., Investigation of groundwater level fluctuations in the north of Iran. *Environ. Earth Sci.*, 2012, **66**(1), 231–243.
18. Thakur, G. S. and Thomas, T., Analysis of groundwater levels for detection of trend in Sagar district, Madhya Pradesh. *J. Geol. Soc. India*, 2011, **77**(4), 303–308.
19. Panda, D. K., Mishra, A. and Kuma, A., Quantification of trends in groundwater levels of Gujarat in western India. *Hydrol. Sci. J.*, 2012, **57**(7), 1325–1336.
20. Hamdi, M. R., Bdour, A. N. and Tarawneh, Z. S., Developing reference crop evapotranspiration time series simulation model using class a pan: a case study for the Jordan valley/Jordan. *Earth Environ. Sci.*, 2008, **1**(1), 33–44.
21. Jahanbakhsh, S. and Basseri, E. A., Studying and forecasting of the mean monthly temperature of Tabriz, using ARIMA model. *J. Geogr. Res.*, 2003, **15**(3), 34–46.
22. Samsudin, R., Saad, P. and Shabri, A., River flow time series using least squares support vector machines. *Hydrol. Earth Syst. Sci.*, 2011, **15**(6), 1835–1852.
23. Panda, D. K. and Kumar, A., Evaluation of an over-used coastal aquifer (Orissa, India) using statistical approaches. *Hydrol. Sci. J.*, 2011, **56**(3), 486–497.
24. Patle, G. T., Singh, D. K., Sarangi, A., Rai, A., Khanna, M. and Sahoo, R. N., Time series analysis of groundwater levels and projection of future trend. *J. Geol. Soc. India*, 2015, **85**(2), 232–242.
25. Box, G. E. P. and Jenkins, G. M., *Time Series Analysis, Forecasting and Control*, Holden Day, San Francisco, CA, USA, 1976, p. 625.

Received 30 March 2015; revised accepted 17 February 2016

doi: 10.18520/cs/v111/i4/717-723

DB IndAlgae: an on-line resource of marine algae from India identified on the basis of molecular and morphological features

Satej Bhushan, Richa Mehra, Pooja Rani and Felix Bast*

Centre for Plant Sciences, Central University of Punjab, Mansa Road, Bathinda 151 001, India

DbIndAlgae is a free on-line database of marine algae from India. It provides information about the geographical distribution, morphological characteristics and most importantly, sequence data of marine algae collected from different coasts. It is the only database which contains molecular data of the algal species from India. Identification of the species is based on both morphological as well as molecular information. The database also serves as an interface to the herbarium maintained at the Centre for Plant Sciences, Central University of Punjab, Bathinda. So far the database lists 45 marine algal species. Some algal species have been identified for the first time from India, but have already been reported from places other than India, whereas new species are those which have been identified by us for the first time as a part of this study and have never been reported elsewhere.

Keywords: Database, marine algae, molecular and morphological features, *Ulva paschima*.

IDENTIFICATION, naming and cataloguing of different species of plants and animals form the basis for many conservation efforts such as Statutes and Acts, evolutionary studies, as well as commercial exploration. In India, the database DB IndAlgae (<http://bit.ly/db-ia>) is the first step in identifying and cataloguing marine algae. DB IndAlgae is an effort by us at the Marine Phycology Laboratory, Central University of Punjab, Bathinda. No previous attempts have been made in this regard to make information available on-line for easy access and effective dissemination. The data available at DB IndAlgae are the result of our ongoing research at the above-mentioned laboratory. The algal species listed in our database have been identified using both morphological as well as molecular features. Earlier plant taxonomists used only morphological features to distinguish different species but in some phyla where phenotypic plasticity occurs frequently, such as algae, mere morphology-based study can cause ambiguities, including misidentification of a taxon. The advancement in molecular phylogenetics and DNA barcoding has played a major role in remedying ambiguities in algal phylogeny¹. Marine algal taxonomy used in this communication and in DB IndAlgae is according to AlgaeBase².

*For correspondence. (e-mail: felix.bast@gmail.com)

RESEARCH COMMUNICATIONS

Previously constructed databases for algae have catalogued them, solely on the basis of morphology, resulting in ambiguity in certain groups¹, e.g. *Pseudochlorodesmis*³. The major algal databases which have gained attention in this field are:

Index Nominum Algarum (INA): A card file and on-line reporting system maintained at the Silva Center for Phycological Documentation of the University Herbarium, University of California, Berkeley, USA. It includes nearly 200,000 names of algae.

World Register of Marine Species (WoRMS): An open-access catalogue of marine species developed by Flanders Marine Institute (VLIZ), Belgium, which originated from European Register of Marine Species. WoRMS is associated with over 100 databases in order to provide consistent and assured quality information about valid and invalid names, and synonyms of most of the marine species⁴.

Ocean Biogeographic Information System (OBIS): An on-line portal containing primary data of marine species from all the oceans. It has various nodes and works in collaboration with other databases, thus becoming the largest provider of global marine biodiversity information combined with bio-geographic data like ecological patterns, species dispersion and many more. The major limitation of this portal is the selective sampling which is mostly limited to surface waters and temperate zones⁵.

AlgaeBase: A digital repository developed in 1996 at the University of Ireland, Galway. It provides information on the economically important marine algae to emphasize the sustainable use of algal resources globally. Initially, it covered marine algae of Ireland, Britain and Atlantic coast of France obtained from the 'The Species Directory of the Marine Fauna and Flora of the British Isles and Surrounding Seas'. At present, the database lists around 8000 species based on their morphological characteristics².

Harmful Algal Event Database (HAEDAT): A database that contains records of harmful algal events, manage-

ment of harmful algae and monitoring systems globally. It works in collaboration with WoRMS, International Council for Exploration of Sea (ICES), North Pacific Marine Science Organization (PICES), and International Society for Study of Harmful Algae (ISSHA)⁶.

Other region-specific databases: Besides these, a few other regional databases are available, which catalogue algae in specific geographic locations. For instance, the Australian Marine Algal Name Index (AMANI) provides information about taxonomy and distribution of Australian marine algae and some protists. Hawaiian Algal database (HADB) is an on-line portal for Hawaiian Archipelago algae providing taxonomic information, photographs, micrographs and standardized DNA sequence data. ANSP is an algae image database providing light micrographs of various algal samples from USA. AIDI is an algae image database providing interactive images of various algal samples found in India⁷⁻⁹.

India is among the 12 mega-biodiversity countries and includes 4 out of 35 hotspots¹⁰ and highly endangered eco-regions of the world. It has an extensive marine, coastal environment, with its coastline stretching to about 8000 km. A wide range of coastal ecosystems such as estuaries, lagoons, mangroves, backwaters, salt marshes and coral reefs characterized by unique biotic and abiotic properties and processes occur. Marine algae constitute a vital part of the biotic component of the ecosystems¹¹. With the initiation of 'Drugs from Sea' programme by the Government of India, marine algae have gained a lot of attention. According to the latest data on distribution of marine algae along Indian coasts, there are 212 taxa of 46 genera in 19 families of Chlorophyta, 211 taxa of 50 genera in 13 families of Phaeophyta, and 442 taxa belonging to 138 genera in 33 families of Rhodophyta¹².

As part of an ongoing study, we carried out algal sample collection from the coastal states of Goa, Karnataka, Kerala, Tamil Nadu, West Bengal, Andaman Islands, Gujarat and Andhra Pradesh. This study aims at cataloguing morphological and phylogenetic diversity of marine algae

Table 1. Macroalgae coverage incorporated in DB IndAlgae based on sample collection

State	Number of days of sampling	Marine algal taxa		
		Number of species (number of genera)		
		Rhodophyceae	Chlorophyceae	Phaeophyceae
Goa	2	1(1)	2(2)	–
Karnataka	2	–	2(1)	–
Kerala	4	9(5)	4(2)	3(2)
Tamil Nadu	3	5(3)	6(3)	4(3)
West Bengal	2	–	1(1)	–
Andaman Islands	2	3(3)	4(4)	2(1)
Gujarat*	3	20(16)	15(8)	12(7)
Andhra Pradesh*	5	8(5)	11(5)	5(3)
Total		46	45	26

*Isolates will be updated to the database as soon as the morphological and molecular identification is complete. The data provided are based on preliminary identification.



Figure 1. Home page of DBIndAlgae.




Figure 2. Snapshot of a page from DB IndAlgae showing salient features of the database.

distributed along the Indian coasts. Techniques like DNA barcoding are being used to understand the cryptic diversity of marine algae. Sample collection from Goa (four locations), Karnataka (four locations) and Kerala (seven locations) was undertaken in May 2012, and from Tamil Nadu (six locations) in July 2012. Coasts of Andaman

Islands (three locations) were covered in January 2014 and those of West Bengal (two locations) were covered in May 2014. Sample collection from Gujarat (three locations) and Andhra Pradesh (five locations) was conducted in November and December 2015 respectively. Table 1 provides details of algal diversity and days of sampling

from these states. Further studies will include sampling other coastal regions as well.

As of 1 March 2016, DBIndAlgae lists around 45 different marine algal species belonging to 28 genera identified from the Indian coasts divided into three classes, viz. Phaeophyceae, Chlorophyceae and Rhodophyceae. Many of the species are new to Indian coasts, e.g. *Ulvella leptochaete* (Ulvalaceae, Chlorophyceae)¹³ and some are new holotypes, e.g. *Ulva paschima* (Ulvaceae, Chlorophyceae)¹⁴, *Cladophora goensis* (Cladophoraceae, Chlorophyceae)¹⁵. More than 50 new isolates are being processed and will be updated as soon as their identification is complete. All the 45 species are listed under their respective classes and assigned an individual webpage.

Each webpage features different sections (Figures 1 and 2).

Unique user ID (UUID): This is given to each sample. The three letters refer to the geographical location while the numerals represent serial numbers of the respective samples.

Classification: Taxonomic position of the species.

Distribution: Sampling sites with GPS coordinates.

Image: Photograph of thallus taken either in the laboratory and/or at sampling site and a picture of herbarium sheet.

DNA sequence data: Details of markers with NCBI accession numbers if submitted/received.

Description: Morphological features of the algae as observed.

Key references: List of the latest important scholarly articles of the same alga.

Only marine algae have been listed in the database; however, in future we plan to include terrestrial algae as well as phytoplankton which would broaden the scope of the database.

The main purpose of creating this database is to ensure that the specimens and their associated data are available to researchers. For further study, researchers can visit the facility to observe specimen herbaria and stored samples, and or can also loan them for studies. Person requesting loan should justify the request and give a valid reason to keep the sample, if loan is not to be returned. Borrowed specimen should be maintained in the same condition as received, unless permission is obtained to manipulate the same.

Thus DBIndAlgae is a web-searchable, open-access, live database where algae found in Indian coastal areas are catalogued based on their molecular as well as morphological features. This database will serve as a useful tool to researchers in knowing about algal biodiversity in India and their ecological, physiological and evolutionary parameters. The database is freely available on-line at <http://bit.ly/db-ia>. The intent is to add more samples and sampling regions as the study progresses. More extensive analyses on the incorporated species will be done and information about the available synonyms and life cycles

can be added. The database is open to all researchers to submit their entries pertaining only to the Indian algae. For this, they can contact us via e-mail (dbindalgae@gmail.com).

Conflict of interest: Authors declare that there is no conflict of interest.

1. Clerck, O., Guiry, M. D., Leliaert, F., Samyn, Y. and Verbruggen, H., Algal taxonomy: a road to nowhere? *J. Phycol.*, 2013, **49**, 215–225.
2. Dhonncha, E. N. and Guiry, M., AlgaeBase: documenting seaweed biodiversity in Ireland and the world. *Biol. Environ. Proc. R. Irish Acad. B*, 2002, **102**, 185–188.
3. Verbruggen, H., Vlaeminck, C., Sauvage, T., Sherwood, A. R., Leliaert, F. and Clerck, O. D., Phylogenetic analysis of *Pseudochlorodesmis* strains reveals cryptic diversity above the family level in the siphonous green algae (Bryopsidales, Chlorophyta). *J. Phycol.*, 2009, **45**, 726–731.
4. Costello, M. J. *et al.*, Global coordination and standardisation in marine biodiversity through the World Register of Marine Species (WoRMS) and related databases. *PLoS ONE*, 2013, **8**, e51629.
5. Fornwall, M., Planning for OBIS: examining relationships with existing national and international biodiversity information systems. *Oceanography*, 2000, **13**, 31–38.
6. Hoagland, P., Anderson, D., Kaoru, Y. and White, A., The economic effects of harmful algal blooms in the United States: estimates, assessment issues, and information needs. *Estuaries*, 2002, **25**, 819–837.
7. Charles, D. F., Protocols for the analysis of algal samples collected as part of the US Geological Survey National Water-Quality Assessment Program, Patrick Center for Environmental Research, Philadelphia, USA, 2002.
8. Cowan, R., Australian Marine Algal Name Index: a database of the taxonomy, nomenclature and distribution of Australian marine macroalgae. Murdoch University and Australian Biological Resources Study, 2006; dsweb.murdoch.edu.au/wise
9. Sherwood, A. R., Wang, N., Carlile, A. L., Neumann, J. M., Wolfgruber, T. K. and Presting, G. G., The Hawaiian Freshwater Algal Database (HfwADB): a laboratory LIMS and online biodiversity resource. *BMC Ecol.*, 2012, **12**, 22.
10. Williams, K. J. *et al.*, Forests of East Australia: the 35th biodiversity hotspot. In *Biodiversity Hotspots*, Springer, Berlin, 2011, pp. 295–310.
11. Wafar, M., Venkataraman, K., Ingole, B., Khan, S. A. and Loka Bharathi, P., State of knowledge of coastal and marine biodiversity of Indian Ocean countries. *PLoS ONE*, 2011, **6**, e14613.
12. Rao, P. S. N. and Gupta, R. K., *Algae of India: Vol. 3: A Checklist of Indian Marine Algae: Excluding Diatoms and Dinoflagellates*, Botanical Survey of India, Kolkata, 2015, pp. 1–96.
13. Bast, F., Bhushan, S. and John, A. A., DNA barcoding of a new record of epi-endophytic green algae *Ulvella leptochaete* (Ulvalaceae, Chlorophyta) in India. *J. Biosci.*, 2014, **39**, 711–716.
14. Bast, F., John, A. A. and Bhushan, S., Strong endemism of bloom-forming tubular *Ulva* in Indian west coast, with description of *Ulva paschima* sp. nov. (Ulvales, Chlorophyta). *PLoS ONE*, 2014, **9**, e109295.
15. Bast, F., John, A. A. and Bhushan, S., *Cladophora goensis* sp. Nov. (Cladophorales, Ulvophyceae) – a bloom forming marine algae from Goa, India. *Indian J. Geomar. Sci.*, 2015, **44**, 1874–1879.

ACKNOWLEDGEMENTS. S.B. thanks the Ministry of Earth Sciences, New Delhi for financial support in the form of JRF, R.M. thanks Indian Council of Medical Research for financial support in the form of JRF and F.B. thanks DST-INSPIRE and MoES GoI for research grant to conduct this study.

Received 13 October 2015; revised accepted 30 March 2016

doi: 10.18520/cs/v111/i4/723-726